

Buttons

Examples

Default	Standard button
Primary	Provides extra visual weight and identifies the primary action in a set of buttons
Success	Indicates a successful or positive action
Info	Contextual button for informational alert messages
Warning	Indicates caution should be taken with this action
Danger	Indicates a dangerous or potentially negative action
Link	Deemphasize a button by making it look like a link while maintaining button behavior

```
<btn type="default">Default</btn>
<btn type="primary">Primary</btn>
<btn type="success">Success</btn>
<btn type="info">Info</btn>
<btn type="warning">Warning</btn>
<btn type="danger">Danger</btn>
<btn type="link">Link</btn>
```

Link button

```
<btn type="success" size="lg" icon="glyphicon glyphicon-
edit">[[ :wiki:welcome]]</btn>
```

welcome

Sizes

Fancy larger or smaller buttons? Add `size="lg"`, `size="sm"`, or `size="xs"` for additional sizes.

Large button Large button

Default button Default button

Small button Small button

Extra small button Extra small button

```

<btn type="primary" size="lg">Large button</btn>
<btn type="default" size="lg">Large button</btn>

<btn type="primary">Default button</btn>
<btn type="default">Default button</btn>

<btn type="primary" size="sm">Small button</btn>
<btn type="default" size="sm">Small button</btn>

<btn type="primary" size="xs">Extra small button</btn>
<btn type="default" size="xs">Extra small button</btn>

```

Block

Create block level buttons—those that span the full width of a parent - by adding `block="true"` option.

Block level button
Block level button

```

<btn type="primary" size="lg" block="true">Block level button</btn>
<btn type="default" size="lg" block="true">Block level button</btn>

```

Active state

Buttons will appear pressed (with a darker background, darker border, and inset shadow) when active. Bootstrap Wrapper Plugin detect automatically the active state of current page.

[button panel](#)

```

<btn type="primary">[[button]]</btn> <btn type="default">[[panel]]</btn>

```

Disabled state

Make buttons look unclickable by fading them back with opacity.

[button panel](#)

```

<btn type="primary" disabled="true">[[button]]</btn> <btn type="default"

```

```
disabled="true">[[panel]]</btn>
```

Options

Attribute	Default Value	Allowed Values	Description
type	default	default primary success info warning danger link	Type of button
icon	optional		Font icon class (eg. Glyphicon or Font-Awesome)
size	optional	lg sm	Button size
block	optional	true false	Block level buttons
collapse	optional		Target element selector to collapse (see collapse)
disabled	optional	true false	Disable the button
modal	optional		Modal ID (see modal)

From:

<https://wiki.ph-freiburg.de/!handbuch/> - **PH Freiburg**

Permanent link:

<https://wiki.ph-freiburg.de/!handbuch/plugins:bootstrap:button>

Last update: **14.05.2024 17:09**

